



# Dimmers

**VIRIBRIGHT™** Dimmer is designed to be fully compatible with the VIRIBRIGHT™ dimmable LED lighting products and most of the dimmable LED lighting devices in the market. Without flickering, lights dropping out, VIRIBRIGHT™ Dimmer can keep the lights on even with line voltage fluctuations. VIRIBRIGHT™ Dimmer is setting the benchmark for price and performance.

## Applications

- Recessed Downlight
- Track Lighting
- General Illumination
- Mood Lighting



US /  
Australia



Europe



UK


ALL New

**Item NO.**

**73644 (US) / 73678 (Australia) / 73645 (Europe) / 73736 (UK)**

Switch Type	Push ON/OFF / Rotate to adjust light level
Compatible Lighting Devices	Dimmable LED Bulbs / Incandescent Bulbs
Load	Adjustable Min. Load
Operating Voltage	110-120V AC, 2A / 220 -240V AC, 1A
Maximum Load	200W
Control Type	Single Pole (One Location)
Configuration	Leading Edge or Trailing Edge (User Adjustable)
Available Color	White / Ivory

**Wiring Diagram:**



VIRIBRIGHT Dimmer - Bulb Loading Table

VIRIBRIGHT bulbs	Operating Voltage (AC)	Current	Hz	Max. no. of bulbs	Dimmer Mode
1 PAR38	110-120V	2A	60Hz	6PCS	Trailing Edge
2 PAR38	220-240V	1A	50Hz	9PCS	Trailing Edge
3 4.5W spotlight	110-120V	2A	60Hz	40PCS	Trailing Edge
4 4.5W spotlight	220-240V	1A	50Hz	40PCS	Trailing Edge
5 8W globe bulb	110-120V	2A	60Hz	20PCS	Trailing Edge
6 8W globe bulb	220-240V	1A	50Hz	20PCS	Trailing Edge
7 10W globe bulb	110-120V	2A	60Hz	10PCS	Trailing Edge
8 10W globe bulb	220-240V	1A	50Hz	15PCS	Trailing Edge